

AMAZE
INVERTERS ⚡ BATTERIES

AMAZE
INVERTERS ⚡ BATTERIES ⚡ SOLAR

**HAMESHA
READY TO
PERFORM**

FAST CHARGING


HEAVY
DUTY



LONG LASTING

Product Catalogue
2026

Subscribe to our channel



Amaze-india.com

LONGLAST POWER PRODUCTS LIMITED
Plot No. 150, Sector-44, Gurugram, Haryana-122003

Customer Care: 99999 05556 | Website: www.amaze-india.com | Mail ID: Care@Amaze-india.com

INBT CATALOGUE/V5/May, 2026_Q2



Inverter

- AQ Series
- AQ Super Charge
- AN Series
- AN Star
- AN 3 Phase
- Eleverter
- AN XCEL

Battery

- Below 150 Ah Battery
- 150 Ah Battery
- Above 150 Ah Battery
- 300Ah Battery

Mobility Solutions

- Ridecharge
- Zoom

Accessories

- Trolley
- E-Rickshaw Battery Charger

Technical Specification

- Inverter
- Battery
- 3 Phase Inverter

A man and a woman are relaxing on a light blue sofa in a bright, modern living room. The woman is sitting up, holding a smartphone, while the man is lying down, holding a tablet. They are both smiling and appear to be enjoying their time. The room features large windows with white curtains, a potted plant, and a floor lamp. The overall atmosphere is comfortable and contemporary.

AMAZE

HAMESHA READY TO PERFORM

Amaze is one of the best, youngest and fastest growing inverter and battery brand in India. The company offers an extensive range of inverters, batteries and solar products that are designed to withstand long and frequent power cuts. The company aims to provide high-performance and high-quality power back-up products to it's customers through a wide network of distributors present across India.



Inverter

Amaze inverters are high quality power inverters designed to provide reliable and efficient power backup for homes and businesses.

Battery

Amaze batteries are known for their High Energy Density and low cost.

E-Rickshaw Battery

Mobility Solutions offers both Lead Acid and Lithium-ion E-Rickshaw batteries—catering to varied needs with reliable performance, fast charging, and long-lasting power.

Trolley

Amaze inverter battery trolley are beautifully designed and made with durable and sturdy material.

Experience hassle-free days with AMAZE Power Solutions. Our innovative and technologically advanced products are crafted with excellence and user convenience in mind. From Inverters to Inverter batteries, our wide range of offerings caters to all your needs. AMAZE inverters deliver high-quality, reliable, and efficient power backup for both homes and businesses. Our batteries are renowned for their high energy density and cost-effectiveness, ensuring uninterrupted power whenever you need it. Upgrade to AMAZE Power Solutions for a seamless experience.



Amaze has high quality power inverters designed to provide reliable and efficient power backup for homes and businesses. With Amaze inverters, you can be assured of an uninterrupted power supply during power outages. Built with some fantastic features like overload and short circuit protection, Amaze inverters ensure that your appliances and devices are safe from damage. Choose Amaze for a hassle free and reliable backup solution, that exceed your expectations.



AQ Series

Power Packed Performer



AQ Series is a reliable and rugged inverter series with advanced microprocessor based design, fast battery charging, user friendly LED indications, battery selection switch for longer battery life and much more.



Modified Square Wave



Reliable Long-Lasting Performance



Faster Battery Charging



Battery Charging Starts from 100V

AQ700+

600 VA
504 W
12 V

AQ900+

800 VA
672 W
12 V

AQ1075+

900 VA
756 W
12 V

AQ1275 PRO

1100 VA
924 W
12 V

AQ1675+

1500 VA
1260 W
24 V

AQ2375+

2000 VA
1680 W
24 V

AQ Super Charge

The Fast Charging Inverter Series



AQ Super Charge is India's most trusted inverter series for rural and semiurban areas with inbuilt heavy duty charger that charges the battery with full charging current even at low voltage conditions.



Modified Square Wave



Express battery Charging Starts from 90V



Faster Battery Charging



Reliable long lasting performance

AQ Super Charge 1175 Pro

900 VA
756 W
12 V

AQ Super Charge 1475 Pro

1100 VA
924 W
12 V

AQ Super Charge 1775 Pro

1500 VA
1260 W
12 V

AN Series

Extra Power Extra Performance



AN series is a Pure Sine Wave inverter series with advanced microprocessor based design and lowvoltage fast battery charging technology. It's low harmonic distortion makes it practically noiseless and Pure Sine wave technology ensures protection of the connected appliances.



Pure Sine Wave



Faster Battery Charging



Reliable Long-Lasting Performance



Low voltage fast charging technology

AN875+
700 VA
560 W
12 V

AN1075+
900 VA
756 W
12 V

AN1275 PRO
1100 VA
924 W
12 V

AN1575+
1400 VA
1176 W
12 V

AN1675+
1500 VA
1260 W
24 V

AN2275 PLUS
2000 VA
1600 W
24 V

AN Star

Power Packed Performance Everyday



Amaze AN Star, a perfect solution for uninterrupted power supply. Say goodbye to frequent power outages and gift your homes and workplaces an inverter with the latest advanced features and better battery capacity from the House of Amaze.



Pure Sine Wave



Digital display with back-up & battery charging time



Main bypass switch in case of fault in equipment



Charging current selection

AN STAR 1475
1100 VA
924 W
12 V

AN STAR 2375
2000 VA
1600 W
24 V

AN STAR 2875
2500 VA
2000 W
24 V

AN STAR 3575
3000 VA
2400 W
24 V

AN STAR 3875
3500 VA
2800 W
36 V

AN STAR 4375
4000 VA
3200 W
36 V

AN STAR 4575
4000 VA
2850 W
48 V

AN STAR 6075
5000 VA
4000 W
48 V

AN STAR 6575
5500 VA
3800 W
72 V

AN STAR 8075
7500 VA
6000 W
96 V

AN STAR 11075
10000 VA
8000 W
120 V

3 Phase Inverters

Amaze offers a range of 3 phase high-capacity inverters that can power heavy-duty and sensitive appliances in commercial spaces. Enjoy superior power in various commercial establishments like Hospitals, Petrol Pump, Large Offices, ATM, Banks and many more.



AMAZE



AN 3 Phase Series

Power that Drives your Business



AN HKVA Series, 3-Phase Inverters are engineered with cutting-edge technology, that adopts high-performance digital control (DSP) for superior efficiency and precision. These inverters offer robust protection features, advanced network management capabilities, and an intuitive user interface. Designed for exceptional reliability, safety, and ease of maintenance, the AN HKVA Series represents the next generation of power solutions.



Back-up time & battery charging time



3 Phase in 3 Phase out



MCB protection



Mains by pass

AN HKVA
10.5kVA

120 V

AN HKVA
15kVA

180 V

AN HKVA
20-25kVA

240 V

AN HKVA
30kVA

360 V

Eleverter

Emergency Lift Operation by Alternative Power Source



During power transition from mains to backup system, there is often a jerk in lifts which can be inconvenient. Amaze Eleverter helps in overcoming this issue, ensuring a smooth experience.

Eleverter provides a smooth transition with absolutely no jerk during the power transition and a seamless experience for people inside the lift. Now, the lifts are safer during the power failure with Amaze Lift Inverter range.



Jerk free operation



RS 485 availability



Regenerative power



DSP based technology

ELEVERTER 5

6.6kVA
48 V

ELEVERTER 5.5

6.6kVA
72 V

ELEVERTER 8

10.1kVA
120 V

ELEVERTER 12

13.1kVA
180 V

ELEVERTER 15

17.5kVA
240 V

ELEVERTER 20

26kVA
240 V

ELEVERTER 30

35kVA
360 V

AN XCEL 3 Phase Series

Heavy Duty Power for Reliable Performance




AN Xcel Series Inverters leverage advanced technology for optimal performance, ensuring high efficiency and precision in operations. Equipped with cutting-edge features, the three-phase inverter provide robust protection, advanced management capabilities, and a user-friendly interface, designed for peak reliability, safety, and minimal maintenance, the AN Xcel Series represents a new standard in power conversion solutions with EPO feature & inbox Wi-fi Dongle.



Reliable power
DSP Controller, with upto 90% efficiency



Inbox wifi dongle



Built for heavy loads
IGBT technology



Safe for all Appliance
Built-in galvanic isolation transformer

**AN XCEL
10.1kVA**
120 V

**AN XCEL
15kVA**
180 V

**AN XCEL
20kVA**
240 V

**AN XCEL
25kVA**
240 V

**AN XCEL
30kVA**
360 V

**AN XCEL
40kVA**
360 V

**AN XCEL
50kVA**
360 V

**AN XCEL
60kVA**
360 V

AMAZE

THE WINNING COMBINATION



Batteries

Amaze batteries are known for their high energy density and low cost. These batteries are designed to provide a steady and reliable source of power, even in the event of power outage or other disruption in the electrical grid. It can withstand deep discharge cycles, which means they can be fully discharged and recharged repeatedly without suffering damage or losing capacity, making them ideal for use in offgrid or backup power systems.



AMAZE



Below 150 Ah

Powerful Performance



Manufactured with microporous ceramic disc-fitted float indicators, these Amaze batteries come with a fast charging feature.

They are ultimately safe for the environment and a perfect fit for power grids where there are frequent power cuts.

- Tubular Technology
- Fast Charging
- Low Maintenance
- Suitable For Frequent Power Cuts

842ST


100Ah
24+18* Months Warranty

*Conditions apply.

22

150 Ah

For Life-long Commitments



These Amaze batteries are resistant to high oxidation levels and are tested for different possible scenarios.

They can outlast extreme conditions as the plates are made with 99.99% pure lead and lead alloy, ensuring best-in-class electrical performance and a long lifespan.

- Tubular Technology
- Low Water Top Up Frequency
- Long Life
- Made With VPPM Technology

2042TT

150 Ah
24+18* Months Warranty

2048TT

150 Ah
24+24* Months Warranty

2060TT

150 Ah
36+24* Months Warranty

2160TT

150 Ah
36+24* Months Warranty

2042STJ

150 Ah
24+18* Months Warranty

2060STJ

150 Ah
36+24* Months Warranty

*Conditions apply.

23

Above 150 Ah

Heavy Duty Batteries for Long Back-ups



These robust batteries from the House of Amaze are made for heavy-duty scenarios where there is a power requirement for long hours.

These batteries come in a leak and spill-proof design, and the container is sealed with high pressure heat. Experience the best-in class electrical performance with Amaze Batteries.



Tubular Technology



Rugged Container



Fast Charging



Low Maintenance

2260TT 160 Ah 30+30* Months Warranty	2266TT 160 Ah 36+30* Months Warranty	4060TT 180 Ah 36+24* Months Warranty	5036TT 200 Ah 18+18* Months Warranty	5048TT 200 Ah 24+24* Months Warranty	5060TT 200 Ah 36+24* Months Warranty	5260TT 220 Ah 36+24* Months Warranty	5266TT 220 Ah 42+24* Months Warranty	5460TT 250 Ah 36+24* Months Warranty
		48TT200 200 Ah 24+24* Months Warranty	60TT200 200 Ah 36+24* Months Warranty	60TT220 220 Ah 36+24* Months Warranty	60TT250 250 Ah 36+24* Months Warranty			

*Conditions apply.

300 Ah

2x Power, Maximum Performance



This heavy-duty Tall Tubular battery offers the combined strength of a 2-in-1 configuration, making it ideal for powering heavy electrical loads during prolonged and recurring outages. Its advanced lead alloy composition ensures compatibility with HRD and SFC usage scenarios.



Longer Life
99% Pure Lead



Fast Charging
Adaptive Charge Technology



Powerful Performance
High Density Plates

5660TT 300 Ah 36+24* Months Warranty	60TT300 300 Ah 36+24* Months Warranty
---	--


*Conditions apply.

Mobility Solutions offers both Lead Acid and Lithium-ion E-Rickshaw batteries—catering to varied needs with reliable performance, fast charging, and long-lasting power.



Ridecharge

Power Your Ride



AMAZE RIDECHARGE batteries are custom designed for bumpy Indian roads with intermittent stops, it assures top-class performance and superior quality which provides maximum mileage per charge, ensuring best experience.



Maximum Mileage
Thick Tubular Plate



Low Maintenance
Special Spine Design



Fast Charging
Deep Cycle Design

ARC 13009	ARC 13512	ARC 14012	ARC 14015
130 Ah	135 Ah	140 Ah	140 Ah
9 Months Warranty	12 Months Warranty	12 Months Warranty	15 Months Warranty

Zoom

Always On, Always Ahead



Zoom series, the next-generation lithium-ion battery for E-Rickshaws that's built to keep you always on and always ahead. Designed with advanced High Charge Density technology, it ensures longer rides on every charge, while high-grade cells deliver superior power for a smoother and more efficient performance on the road. With zero maintenance requirements, Zoom reduces downtime and also brings significant savings over time. Whether it's distance, power, or cost , Zoom is engineered to lead on every front, keeping your journey uninterrupted and your business unstoppable.



Maximum Mileage
Longer ride with HCD* Technology



Maximum Power
Superior performance with high-grade cells



Maximum Savings
Zero maintenance costs

AM 51ZM105	AM 51ZM105+	AM 51ZM105 Pro
3 Years Warranty	3 Years Warranty	3 Years Warranty

IoT available in Zoom+ and Zoom Pro only with 3 year free subscription
*High Charge Density



Accessory

AMAZE

Trolley

New Age Design & Durability



Amaze trolley is an elegantly designed product, which is sturdy as a rock and yet pleasing to eyes. It surely is the best accessory for your Amaze inverter and battery set.



Shock Proof



No Dangling Wire



Easy To Assemble



Superior Quality

AM100L

For 1 tall tubular
battery

AM200L

For 2 tall tubular
batteries

Zoom Charger

Built to Power Every Journey



The Zoom Charger is built for Indian roads, engineered to withstand the country's toughest conditions with a rugged IP67-rated metal casing that offers strong protection against dust and water. Designed for all-weather reliability, it also features intelligent safety mechanisms like reverse polarity and overcharge protection for added assurance. Backed by a 3-year warranty, the Zoom Charger is a dependable power partner for every journey.



Smart Protection Features
Reverse polarity & overcharge protection



Made for tough Indian conditions
Heavy-duty metal casing with IP67-rated enclosure for dust and water resistance

AM ZM20ACHG

1200W

3 Years Warranty

AM ZM20ACHG+

1200W

3 Years Warranty

Inverter technical specification

	Model Name	VA Capacity	DC Volt	Maximum Bulb Load	Input Volatge Range	Maximum Charging Current
AQ SERIES	AQ700+	600 VA	12V	504W	100V-290V	13A
	AQ900+	800 VA	12V	672W	100V-290V	14A
	AQ1075+	900 VA	12V	756W	100V-290V	17A
	AQ1275 PRO	1100 VA	12V	924W	85V-290V	17A
	AQ1675+	1500 VA	24V	1260W	100V-290V	17A
	AQ2375+	2000 VA	24V	1680W	90V-290V	20A
AQ SUPER CHARGE PRO	AQ Super Charge 1175 Pro	900 VA	12V	756W	90V-290V	16A
	AQ Super Charge 1475 Pro	1100 VA	12V	924W	90V-290V	20A
	AQ Super Charge 1775 Pro	1500 VA	12V	1260W	90V-290V	27A
AN SERIES	AN875+	700 VA	12V	560W	85V-290V	14A
	AN1075+	900 VA	12V	756W	85V-290V	17A
	AN1275 PRO	1100 VA	12V	924W	85V-290V	17A
	AN1575+	1400 VA	12V	1176W	85V-290V	17A
	AN1675+	1500 VA	24V	1260W	85V-290V	17A
	AN2275 PLUS	2000 VA	24V	1600W	90V-290V	20A
AN STAR	AN STAR 1475	1100 VA	12V	924W	85v-285V	18A
	AN STAR 2375	2000 VA	24V	1600W	85V-290V	21A
	AN STAR 2875	2500 VA	24V	2000W	85V-290V	21A
	AN STAR 3575	3000 VA	24V	2400W	85V-290V	21A
	AN STAR3875	3500 VA	36V	2800W	85V-290V	21A
	AN STAR 4375	4000 VA	36V	3200W	140V - 280V	21A
	AN STAR 4575	4000 VA	48V	2850W	140V - 280V	21A
	AN STAR 6075	5000 VA	48V	4000W	140V - 280V	21A
	AN STAR 6575	5500 VA	72V	3800W	140V - 280V	21A
	AN STAR 8075	7500 VA	96V	6000W	140V - 280V	21A
	AN STAR 11075	10000 VA	120V	8000W	140V - 280V	21A

3 Phase Inverter technical specification

	Model Name	Rating	Maximum Charging Current	Net Weight (In Kg)	Dimension (LXWXH) in CM	Protection
AN HKVA 3P	AN HKVA 10.5	10.5 KVA	Settable	130 kg	70X30X75	Input Under and Over voltage, Input High and Low Frequency Output Over load, Output short circuit, Output over and Under voltage, Over Temperatur,B attery Over and Under voltage
	AN HKVA 15	15 KVA	Settable	140 kg	77X40X81	
	AN HKVA 20	20 KVA	Settable	180 kg	90X40X81	
	AN HKVA 25	25 KVA	Settable	180 kg	90X40X81	
	AN HKVA 30	30 KVA	Settable	260 kg	92.3X53.5 X109	
ELEVERTER	Eleverter 5	6.6KVA	Settable	62 kg	63X28.5X59	Input Under and Over voltage, Input High and Low Frequency Output Over load, Output short circuit, Output over and Under voltage, Over Temperature , Battery Over and Under voltage
	Eleverter 5.5	6.6KVA	Settable	62 kg	63X28.5X59	
	Eleverter 8	10.1KVA	Settable	120 kg	71X30X79	
	Eleverter 12	13.1 KVA	Settable	120 kg	71X30X79	
	Eleverter 15	17.5 KVA	Settable	134 kg	77X40X88	
	Eleverter 20	26 KVA	Settable	150 kg	77X40X88	
	Eleverter 30	35 KVA	Settable	295 kg	92.5X53.5X119	

3 Phase Inverter technical specification

	Model Name	Rating	Maximum Charging Current	Net Weight (In Kg)	Dimension (LXWXH) in CM	Protection
AN XCEL	AN Xcel	10.1 kVA 120V	Settable	120 kg	45X80X80	Input under voltage, Input over voltage, Charger over voltage, Under/Over, Output Under voltage, Output over voltage, Overload, Output short circuit, Battery low, Battery high, Battery charging current limit
	AN Xcel	15 kVA 180V	Settable	143 kg	45X80X80	
	AN Xcel	20 kVA 240V	Settable	153 kg	45X80X80	
	AN Xcel	25 kVA 240V	Settable	171 kg	45X80X80	
	AN Xcel	30 kVA 360V	Settable	211 kg	45X90X80	
	AN Xcel	40 kVA 360V	Settable	450 kg	60X100X130	
	AN Xcel	50 kVA 360V	Settable	450 kg	60X100X130	
	AN Xcel	60 kVA 360V	Settable	550 kg	80X95X170	

Battery technical specification						
	Model Name	Ah	Warranty In Months	Dimension (in mm) LxWXH	Weight (in kg.)	
					Dry	Filled
BELOW 150 Ah	842ST	100	42*	505x220x308	19.5	40
150 Ah	2042TT	150	42*	502x191x440	27	54
	2060TT	150	60*	502x191x440	27.5	55
	2160TT	150	60*	502x191x388	27.5	49.5
	2042STJ	150	42*	518x272x288	26.5	50.5
	2060STJ	150	48*	518x272x288	26.5	50.5
	2048TT	150	48*	502X191X440	27	54
ABOVE 150 Ah	2260TT	160	60*	502X191X440	27	54
	2266TT	160	66*	502X191X440	28	54.5
	4060TT	180	60*	502x191x440	33.5	59.5
	5036TT	200	36*	502x191x440	31	58
	5048TT	200	48*	502x191x440	36.5	63.5
	5060TT	200	60*	502x191x440	36.5	63.5
	5260TT	220	60*	502x191x440	38	62
	5266TT	220	66*	502x191x440	38	62
	5460TT	250	60*	502X191X440	46.5	70.5
	5660TT	300	60*	505x207.5x442	54.5	82
TURBO CHARGE	TC13548ST		48*	505X220X308	20.5	39
	TC15048ST		48*	505X220X308	24.4	42
	TC10036ST		36*	505X220X308	15.8	35
	TC15060		60*	502X191X388	25.5	47.5

*Conditions apply.

Battery technical specification						
	Model Name	Ah	Warranty In Months	Dimension (in mm) LxWXH	Weight (in kg.)	
					Dry	Filled
RIDECHARGE	ARC 13009	130	9	410x174x275	24	35
	ARC 13512	135	12	410x174x275	25	36
	ARC 14012	140	12	410x174x275	26	36
	ARC 14015	140	15	410x174x275	27	36
ZOOM ZOOM+ ZOOM PRO	AM 51ZM105	105	36	474x344.11x293	NA	53.5±0.5
	AM 51ZM105+	105	36	474x344.11x293	NA	53.5±0.5
	AM 51ZM105 Pro	105	36	474x344.11x293	NA	53.5±0.5
	AM 51ZM105	105	36	520x372x200	NA	48±0.5
	AM 51ZM105+	105	36	520x372x200	NA	48±0.5
	AM 51ZM105 Pro	105	36	520x372x200	NA	48±0.5

Amaze Solar is the leading provider of cutting-edge solar energy solutions. Specializing in residential solar panel installations, they offer state-of-the-art photovoltaic systems that seamlessly integrate with your home.

With a focus on efficiency and sustainability, Amaze Solar ensures customized setups to maximize energy production and minimize costs.

Our team of experts guide clients through the entire process, from initial consultation to installation and beyond. Choose Amaze Solar for a reliable and eco-friendly energy solution that transforms sunlight into savings.



Notes

[illegible][illegible]